

P.O. Box 20 06 04 - 42206 Wuppertal / Germany
Rosenthalstrasse 22 · D-42369 Wuppertal / Germany
Fon +49 -0- 202 317559-10 | Fax +49 -0 -202 870884-03 | info@system.de

Product Specification 2-Butoxyethyl acetate CAS No. : 112-07-2



Chemical name :	2-Butoxyethyl acetate
chemical name :	butyl glykol acetate
Moisture :	max. 0,05 %
Density :	0,935 - 0,942
Einecs :	203-933-3
CAS No. :	112-07-2
Synonym :	2-butoxyethyl acetate, Butylglykolacetat, Ethylenglykolbutyletheracetate

General informations : 2-Butoxyethyl acetate, also known as butyl glycol acetate, belongs to the chemical group of esters. It is a clear, colorless liquid with a mild, pleasant odor.

Chemical and physical data:

- Molecular formula: C₈H₁₆O₃
- Molecular weight: 160.21 g/mol
- Boiling point: 180–190 °C
- Density: 0.93–0.96 g/cm³
- Flash point: 74 °C, ignition temperature: 355 °C

We fill butyl glycol acetate for our customers into custom containers. These range from 100 ml bottles to 5–25 liter canisters to 1000 liter IBCs.

Simplify your processes as well by having us blend butyl glycol acetate with other components according to your formulations and fill it into containers specified by you!

Application :

Butyl glycol acetate is used by SysKem Chemie as a raw material for the production of customer-specific formulations.

The main applications of 2-butoxyethyl acetate are as a solvent in coatings, paints, and cleaning agents. It has the ability to dissolve a wide variety of resins and is therefore often used in industrial coatings.

In the cleaning agents manufactured by SysKem Chemie for our customers, it helps remove dirt and grease.

If you would like us to produce formulations with this product for you, please contact us.

Hazard Statements :

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Label : GHS07

Product categories : ester,

Version: 2026-05-27 12:10:45

This data is only for your information purposes and does not imply a guarantee for a certain application.

