

P.O. Box 20 06 04 - 42206 Wuppertal / Germany
Rosenthalstrasse 22 · D-42369 Wuppertal / Germany
Fon +49 -0- 202 317559-10 | Fax +49 -0 -202 870884-03 | info@syskem.de

Product Specification Isopropanol min. 99.7% CAS No. : 67-63-0



Chemical name : Isopropanol min. 99.7%

chemical name : propan-2-ol

Appearance : clear liquid

assay : min. 99,7 %

other : acid value: max. 0,002 %

Moisture : max. 0,1 %

Density : 0,784 - 0,787

Packing : drums

ADR :	KI 3 Verpackungsgruppe II, (D/E)
Einecs :	200-661-7
UN-No. :	1219
CAS No. :	67-63-0
WGK :	1
Other :	flaming point : 13 °C, Evaporation rate : ca 10-12
Synonym :	IPA, Isopropylalkohol
General informations :	Isopropanol is completely miscible with water, ethanol, acetone, chloroform, and benzene. Boiling point 82 °C Melting point -89.5 °C Flash point 12 °C
Application :	Application as a fast-evaporating cleaner. Isopropanol is used in the following products: lubricants and greases, antifreeze products, coating products, fillers, putties, plasters, plasters, modeling compounds, adhesives and sealants, biocides (e.g., disinfectants, pest control products), polishes and waxes, and finger paints.
Hazard Statements :	Isopropanol is a highly flammable liquid. Isopropanol causes serious eye irritation and may cause drowsiness or dizziness.
Label :	GHS02,GHS07
Product categories :	alcohols,

Version: 2026-05-28 09:23:46

This data is only for your information purposes and does not imply a guarantee for a certain application.

