

P.O. Box 20 06 04 - 42206 Wuppertal / Germany  
Rosenthalstrasse 22 · D-42369 Wuppertal / Germany  
Fon +49 -0- 202 317559-10 | Fax +49 -0 -202 870884-03 | info@syskem.de

## Product Specification Mixture of carboxylic acids and glycols



**Chemical name :** Mixture of carboxylic acids and glycols

**contract manufacturing :** Mixture of carboxylic acids and glycols

**packing :** IBC Containers,  
UN certified

**Einecs :** Gemisch

**Synonym :** Mischung, Lohnfertigung,

**General informations :**

Our expertise ranges from the filling of liquid products into various container sizes to the precise mixing of liquids and solids according to specified formulations.

One of our specialized services is the precise blending of carboxylic acids with glycols. The mixing process is carried out according to exactly defined customer formulations, with the raw materials either supplied by us or provided by the customer. Our highly qualified team ensures mixing accurate to the kilogram, guaranteeing that the requirements of every customer are met. Batch sizes range from 100 kg to several tons, allowing us to respond flexibly to different needs. If required, the mixtures can be heated and homogenized as needed to achieve optimal results.

**Application :**

The mixing of carboxylic acids with glycols is used in a wide range of applications. Some examples of how our service is used include the production of plasticizers, coolants, antifreeze agents, cleaning and degreasing agents, as well as custom chemical products.

Our blends are prepared to the exact kilogram according to customer formulations in order to achieve the desired results.

We offer batch sizes ranging from 100 kg up to several tons to meet the needs of different production volumes.

Our experienced team carefully monitors the blending process to ensure that all quality standards are met and customer requirements are fulfilled.

By using our service, customers can make more efficient use of their resources, as they can focus on their core competencies while we take care of the precise blending.

**Hazard Statements :** We can currently mix hazardous materials or strongly odorous liquids only to a limited extent. Before confirming the order, we require a safety data sheet for the raw materials to be used. If such an SDS is not available, our hazardous materials officer can assist you in preparing the safety data sheets.

**Product categories :** SERVICES, tolling manufacturing

Version: 2026-05-28 13:19:26

This data is only for your information purposes and does not imply a guarantee for a certain application.