

P.O. Box 20 06 04 - 42206 Wuppertal / Germany  
Rosenthalstrasse 22 · D-42369 Wuppertal / Germany  
Fon +49 -0- 202 317559-10 | Fax +49 -0 -202 870884-03 | info@systemk.de

## Product Specification SysKem Glue-Cleaner CAS No. : Mixture



**Chemical name :** SysKem Glue-Cleaner

**Appearance :** Clear liquid

**Content :** Min 99 %

**pH value :** 3 - 4

**Moisture :** 0,1 %

**Density :** 1,076-1,096 (20°)

**Packing :** Drums, IBC

**Einecs :** Mixture

**CAS No. :** Mixture

**WGK :** 1

**Other :** Boiling point/range 196 – 225 °C  
Melting point/melting range approx. -20°C  
Flash point 103°C  
Evaporation rate <0.1 (BuAc =1)

**General informations :** Our product SysKem Glue Cleaner is an innovative solution for efficiently removing adhesive deposits in operating machines.

It not only provides thorough cleaning, but also replaces conventional solvents such as ethyl acetate and acetone with a more environmentally friendly alternative.

- Storage: Store in original container. Keep containers tightly closed in a dry and well-ventilated place.

- Expiring date: With common storage the product is at least 12 months durable in the original container

**Application :**

- Before cleaning, it is advisable to switch off and cool down the operating machine in accordance with the manufacturer's instructions in order to minimise possible risks.
- Apply the SysKem Glue Cleaner generously to the surfaces and adhesive residues to be cleaned.
- Allow the product to work for a few minutes to effectively dissolve the residue.
- Then use a clean cloth or brush to wipe or brush off the dissolved residue.
- For stubborn stains, it may be necessary to repeat the process or leave the product on for longer.
- After cleaning, the cleaned surfaces should be thoroughly rinsed with water and then wiped dry to ensure that no residue of the cleaner remains.

**Hazard Statements :**

SysKem Glue Cleaner is not classified as a hazardous substance.

**Product categories :**

,

Version: 2026-05-27 12:52:44

This data is only for your information purposes and does not imply a guarantee for a certain application.